


**miLED<sup>o</sup>**

catalogue  
2023



## SYMBOLS

	Energy efficiency class
	Power Supply
	Power
	Declaration of equality in power rating
	Colour temperature
	Luminous flux
	Useful luminous flux
	Lifetime
	Cap
	Light source
<b>IP</b>	Degree of resistance to penetration of foreign solids, dust and humidity
<b>IK</b>	Degree of protection against mechanical impact
<b>ON OFF</b>	Number of switch cycles
	Non-replaceable light source
	Replaceable light source
	Ambient temperature range to which the product is adapted
	Motion sensor





## PRODUCTS

### ▶ LIGHT SOURCES

- 4 A60 N LED
- 5 C35 N LED
- 5 G45 N LED
- 6 GU10 LED
- 7 T8 N LED

### ▶ ARCHITECTURAL & TECHNICAL LUMINAIRES

- 9 BAREV R
- 9 BAREV BL
- 10 RSTR N 236
- 11 DICHT 4 LED
- 11 DICH LED
- 12 CORSO LED
- 13 HB UFO LED
- 13 HIBO LED N
- 14 GRUN NV LED
- 14 GRUN NV LED SE





▶  
LIGHT  
SOURCES


# A60 N LED

Led lamp




Power:  
220-240 AC  
50 Hz  
Material:  
plastic


Colour:  
white




A60 N 8W E27



A60 N 9,5W E27



A60 N 13W E27



Code	Product Code	Model	Power (W)	Equivalent Power (W)	Lumen (lm)	Color Temp (K)	Lifespan (h)	Life Cycle	Base	Beam Angle
31202	8595665312022	A60 N 8W E27-WW	8W	60W	810lm	3000K	15000h	≥25000	E27	AG F
31203	8595665312039	A60 N 8W E27-NW	8W	60W	810lm	4000K	15000h	≥25000	E27	AG F
31204	8595665312046	A60 N 9,5W E27-WW	9,5W	75W	1050lm	3000K	15000h	≥25000	E27	AG E
31205	8595665312053	A60 N 9,5W E27-NW	9,5W	75W	1050lm	4000K	15000h	≥25000	E27	AG E
31206	8595665312060	A60 N 13W E27-WW	13W	100W	1520lm	3000K	15000h	≥25000	E27	AG E
31207	8595665312077	A60 N 13W E27-NW	13W	100W	1520lm	4000K	15000h	≥25000	E27	AG E

# C35 N LED

Led lamp




Power:  
220-240 AC  
50/60 Hz

Material:  
plastic

Colour:  
white



31307	8595665313074	C35 N 4,9W E14-WW	4,9W	40W	470lm	3000K	15000h	≥15000	E14	A1G	F
31306	8595665313067	C35 N 4,9W E14-NW	4,9W	40W	470lm	4000K	15000h	≥15000	E14	A1G	F
31309	8595665313098	C35 N 6,5W E14-WW	6,5W	60W	806lm	3000K	15000h	≥15000	E14	A1G	E
31308	8595665313081	C35 N 6,5W E14-NW	6,5W	60W	806lm	4000K	15000h	≥15000	E14	A1G	E



C35 N LED

# G45 N LED

Led lamp




Power:  
220-240 AC  
50 Hz

Material:  
plastic


Colour:  
white




31311	8595665313111	G45 N 4,9W E27-WW	4,9W	40W	470lm	3000K	15000h	≥15000	E27	A1G	F
31310	8595665313104	G45 N 4,9W E27-NW	4,9W	40W	470lm	4000K	15000h	≥15000	E27	A1G	F
31313	8595665313135	G45 N 6,5W E14-WW	6,5W	60W	806lm	3000K	15000h	≥15000	E14	A1G	E
31312	8595665313128	G45 N 6,5W E14-NW	6,5W	60W	806lm	4000K	15000h	≥15000	E14	A1G	E
31315	8595665313159	G45 N 6,5W E27-WW	6,5W	60W	806lm	3000K	15000h	≥15000	E27	A1G	E
31314	8595665313142	G45 N 6,5W E27-NW	6,5W	60W	806lm	4000K	15000h	≥15000	E27	A1G	E



G45 LED 4,9W E27



G45 LED 6,5W E14



G45 LED 6,5W E27


# GU10 LED

Led lamp




Power:  
220-240 AC  
50 Hz  
Material:  
plastic


Colour:  
white



GU10 4W



GU10 6W



GU10 8W

31230	8595665312305	GU10 4W-WW LED	4W	35W	380lm	320lm	3000K	15000h	≥15000	GU10	A G G
31231	8595665312312	GU10 4W-NW LED	4W	35W	380lm	320lm	4000K	15000h	≥15000	GU10	A G G
31232	8595665312329	GU10 4W-CW LED	4W	35W	380lm	320lm	5000K	15000h	≥15000	GU10	A G G
31233	8595665312336	GU10 6W-WW LED	6W	45W	520lm	430lm	3000K	15000h	≥15000	GU10	A G G
31234	8595665312343	GU10 6W-NW LED	6W	45W	520lm	430lm	4000K	15000h	≥15000	GU10	A G G
31235	8595665312350	GU10 6W-CW LED	6W	45W	520lm	430lm	5000K	15000h	≥15000	GU10	A G G
31236	8595665312367	GU10 8W-WW LED	8W	57W	690lm	560lm	3000K	15000h	≥15000	GU10	A G G
31237	8595665312374	GU10 8W-NW LED	8W	57W	690lm	560lm	4000K	15000h	≥15000	GU10	A G G
31238	8595665312381	GU10 8W-CW LED	8W	57W	690lm	560lm	5000K	15000h	≥15000	GU10	A G G





# T8 N LED


Led lamp




Power:  
220-240 AC  
50/60 Hz  
ONE-SIDED POWER SUPPLY

Material:  
glass


Colour:  
white



T8 LED N 9W



T8 LED N 18W



T8 LED N 22W



Code	Part Number	Model	Power (W)	Power Factor	Luminous Flux (lm)	Color Temp (K)	Lifetime (h)	ON/OFF	Base	Certification
31193	8595665311933	T8 N LED 9W-CW	9W	71W	1000lm	6500K	15000h	≥10000	G13	A G E
31194	8595665311940	T8 N LED 9W-NW	9W	71W	1000lm	4000K	15000h	≥10000	G13	A G E
31190	8595665311902	T8 N LED 18W-CW	18W	125W	2000lm	6500K	15000h	≥10000	G13	A G E
31191	8595665311919	T8 N LED 18W-NW	18W	125W	2000lm	4000K	15000h	≥10000	G13	A G E
31192	8595665311926	T8 N LED 22W-NW	22W	148W	2420lm	4000K	15000h	≥10000	G13	A G E

The logo for miLEDo, featuring the word 'miLEDo' in a green, lowercase, sans-serif font. The 'i' has a black dot, and the 'o' has a white dot.A green play button icon, consisting of a right-pointing triangle inside a square.

ARCHITECTURAL  
& TECHNICAL  
LUMINAIRES





# BAREV BL LEDN2 40W-NW

LED panel

**⚡**  
 Power:  
 220-240 AC  
 50 Hz  
 POWER SUPPLY IN SET  
 Material:  
 aluminium, plastic

Colour:  
 white



31173	8595665311735	BAREV BL LEDN2 40W-NW	40W	4000lm	4000K	20000h	≥15000	20	ATG E
-------	---------------	-----------------------	-----	--------	-------	--------	--------	----	-------



BAREV BL LEDN2 40W

# BAREV R LED

LED panel

**⚡**  
 Power:  
 220-240 AC  
 50/60 Hz  
 POWER SUPPLY IN SET  
 Material:  
 aluminium, plastic


Colour:  
 white



BAREV R 36W 12030



31172	8595665311728	BAREV R 36W 12030 NW	36W	3600lm	4000K	50000h	≥30000	20	ATG E
31171	8595665311711	BAREV R 36W 6060 NW	36W	3600lm	4000K	50000h	≥30000	20	ATG E



BAREV R 36W 6060



## RSTR N

Surface-mounted louver fitting



Power:  
220-240 AC  
50/60 Hz


Material:  
steel, steel sheet coated with aluminum foil

Colour:  
white



**IP**

31058	8595665399788	RSTR N 236/4LED/NT	2 x max 36W	T8 LED	ONE-SIDED POWER SUPPLY	G13	20
-------	---------------	--------------------	-------------	--------	---------------------------	-----	----



RSTR N 236/4LED/NT



## DICHT 4LED


Dustproof lighting fitting



Power:  
220-240 AC  
50/60 Hz

Material:  
plastic, PS

Colour:  
grey




**IP**


Code	Part No.	Model	Length	LED Type	Power Supply	Beam Angle	IP
31320	8595665313203	DICHT 4LED <b>NP</b> 218/PS	2 x max 18	T8 LED	ONE-SIDED POWER SUPPLY	G13	65
31321	8595665313210	DICHT 4LED <b>NP</b> 236/PS	2 x max 36	T8 LED	ONE-SIDED POWER SUPPLY	G13	65

With an additional sheet acting as a reflector, which also strengthens the structure

31322	8595665313227	DICHT 4LED <b>PI</b> 218/PS	2 x max 18	T8 LED	ONE-SIDED POWER SUPPLY	G13	65
31323	8595665313234	DICHT 4LED <b>PI</b> 236/PS	2 x max 36	T8 LED	ONE-SIDED POWER SUPPLY	G13	65



DICHT 4LED 218/PS



DICHT 4LED 236/PS

## DICHT LED


Dustproof lighting fitting



Power:  
220-240 AC  
50/60 Hz

Material:  
plastic, PC


Colour:  
grey




**IP**




Code	Part No.	Model	Power	Light Output	Color Temp	Lifetime	Power Supply	Beam Angle	IP	Ei
31410	8595665314101	DICHT LED 18W-NW	18W	1800lm	4000K	20000h	≥25000	65	A	E
31411	8595665314118	DICHT LED 36W-NW	36W	3600lm	4000K	20000h	≥25000	65	A	E
31412	8595665314125	DICHT LED 48W-NW	48W	4800lm	4000K	20000h	≥25000	65	A	E



DICHT LED 18W



DICHT LED 36W



DICHT LED 48W



# CORSO LED


Ceiling LED lamp




Power:  
220-240 AC  
50/60 Hz

Material:  
plastic, steel


Colour:  
white



CORSO LED N 12W / 12W -SE



CORSO LED N 18W / 18W -SE



CORSO LED N 24W / 24W -SE



								<b>IP</b>		<b>Ei</b>
31220	8595665312206	CORSO LED V2 12-NW	12W	900lm	4000K	25000h	≥20000	44		
31223	8595665312237	CORSO LED V2 12-NW-SE	12W	900lm	4000K	25000h	≥20000	44	)))	
31221	8595665312213	CORSO LED V2 18-NW	18W	1200lm	4000K	25000h	≥20000	44		
31224	8595665312244	CORSO LED V2 18-NW-SE	18W	1200lm	4000K	25000h	≥20000	44	)))	
31222	8595665312220	CORSO LED V2 24-NW	24W	1700lm	4000K	25000h	≥20000	44		
31225	8595665312251	CORSO LED V2 24-NW-SE	24W	1700lm	4000K	25000h	≥20000	44	)))	

# HB UFO LED


High-bay led light fitting

⚡  
Power:  
220-240 AC  
50/60 Hz  
Material:  
aluminum alloy, glass


Colour:  
black




31405	8595665314057	HB UFO LED 100W-NW	100W	8500lm	4000K	20000h	≥25000	65	A	F
31406	8595665314064	HB UFO LED 150W-NW	150W	12600lm	4000K	20000h	≥25000	65	A	F
31407	8595665314071	HB UFO LED 200W-NW	200W	17000lm	4000K	20000h	≥25000	65	A	F




HB UFO LED 100W




HB UFO LED 150W



HB UFO LED 200W



HB UFO LED 200W



HB UFO LED 200W

# HIBO LED N


High-bay led light fitting

⚡  
Power:  
220-240 AC  
50/60 Hz  
Material:  
aluminum alloy, glass


Colour:  
black




31111	8595665311117	HIBO LED N 50W-NW	50W	4750lm	4000K	25000h	≥20000	65	A	F
31112	8595665311124	HIBO LED N 100W-NW	100W	10000lm	4000K	25000h	≥20000	65	A	F
31113	8595665311131	HIBO LED N 150W-NW	150W	15000lm	4000K	25000h	≥20000	65	A	F
31114	8595665311148	HIBO LED N 200W-NW	200W	20000lm	4000K	25000h	≥20000	65	A	F




HIBO LED N 50W



HIBO LED N 50W




HIBO LED N 100W




HIBO LED N 100W




HIBO LED N 150W



HIBO LED N 150W



HIBO LED N 200W



HIBO LED N 200W

# GRUN NV LED


LED SMD floodlight




Power:  
220-240 AC / 50/60 Hz

Material:  
aluminum alloy, tempered glass


Colour:  
black




GRUN NV LED-10




GRUN NV LED-30




GRUN NV LED-20




GRUN NV LED-50



GRUN NV LED-100



GRUN NV LED-150



GRUN NV LED-200

								<b>IP</b>	<b>EI</b>
31390	8595665313906	GRUN NV LED-10-B	10W	800lm	4000K	25000h	≥30000	65	A G F
31391	8595665313913	GRUN NV LED-20-B	20W	1700lm	4000K	25000h	≥30000	65	A G F
31392	8595665313920	GRUN NV LED-30-B	30W	2650lm	4000K	25000h	≥30000	65	A G F
31393	8595665313937	GRUN NV LED-50-B	50W	4500lm	4000K	25000h	≥30000	65	A G F
31394	8595665313944	GRUN NV LED-100-B	100W	9500lm	4000K	25000h	≥30000	65	A G F
31395	8595665313951	GRUN NV LED-150-B	150W	14250lm	4000K	25000h	≥30000	65	A G F
31396	8595665313968	GRUN NV LED-200-B	200W	19000lm	4000K	25000h	≥30000	65	A G F

# GRUN NV LED SE


LED SMD floodlight




Power:  
220-240 AC / 50/60 Hz

Material:  
aluminum alloy, tempered glass


Colour:  
black




GRUN NV LED-10 SE



GRUN NV LED-20 SE



GRUN NV LED-30 SE



GRUN NV LED-50 SE

								<b>IP</b>		<b>EI</b>
31397	8595665313975	GRUN NV LED-10-B-SE	10W	800lm	4000K	25000h	≥30000	44	)))	A G F
31398	8595665313982	GRUN NV LED-20-B-SE	20W	1700lm	4000K	25000h	≥30000	44	)))	A G F
31399	8595665313999	GRUN NV LED-30-B-SE	30W	2650lm	4000K	25000h	≥30000	44	)))	A G F
31400	8595665314002	GRUN NV LED-50-B-SE	50W	4500lm	4000K	25000h	≥30000	44	)))	A G F



## INDEX

## INDEX

31202	A60 N 8W E27-WW	8595665312022	4
31203	A60 N 8W E27-NW	8595665312039	4
31204	A60 N 9,5W E27-WW	8595665312046	4
31205	A60 N 9,5W E27-NW	8595665312053	4
31206	A60 N 13W E27-WW	8595665312060	4
31207	A60 N 13W E27-NW	8595665312077	4
31307	C35 N 4,9W E14-WW	8595665313074	5
31306	C35 N 4,9W E14-NW	8595665313067	5
31309	C35 N 6,5W E14-WW	8595665313098	5
31308	C35 N 6,5W E14-NW	8595665313081	5
31311	G45 N 4,9W E27-WW	8595665313111	5
31310	G45 N 4,9W E27-NW	8595665313104	5
31313	G45 N 6,5W E14-WW	8595665313135	5
31312	G45 N 6,5W E14-NW	8595665313128	5
31315	G45 N 6,5W E27-WW	8595665313159	5
31314	G45 N 6,5W E27-NW	8595665313142	5
31230	GU10 4W-WW LED	8595665312305	6
31231	GU10 4W-NW LED	8595665312312	6
31232	GU10 4W-CW LED	8595665312329	6
31233	GU10 6W-WW LED	8595665312336	6
31234	GU10 6W-NW LED	8595665312343	6
31235	GU10 6W-CW LED	8595665312350	6
31236	GU10 8W-WW LED	8595665312367	6
31237	GU10 8W-NW LED	8595665312374	6
31238	GU10 8W-CW LED	8595665312381	6
31190	T8 N LED 18W-CW	8595665311902	7
31191	T8 N LED 18W-NW	8595665311919	7
31192	T8 N LED 22W-NW	8595665311926	7
31193	T8 N LED 9W-CW	8595665311933	7
31194	T8 N LED 9W-NW	8595665311940	7
31173	BAREV BL LEDN2 40W-NW	8595665311735	9
31172	BAREV R 36W 12030 NW	8595665311728	9
31171	BAREV R 36W 6060 NW	8595665311711	9
31058	RSTR N 236/4LED/NT	8595665399788	10
31320	DICHT 4LED NP 218/PS	8595665313203	11
31321	DICHT 4LED NP 236/PS	8595665313210	11
31322	DICHT 4LED PI 218/PS	8595665313227	11
31323	DICHT 4LED PI 236/PS	8595665313234	11
31410	DICHT LED 18W-NW	8595665314101	11
31411	DICHT LED 36W-NW	8595665314118	11
31412	DICHT LED 48W-NW	8595665314125	11
31220	CORSO LED V2 12-NW	8595665312206	12
31223	CORSO LED V2 12-NW-SE	8595665312237	12
31221	CORSO LED V2 18-NW	8595665312213	12



31224	CORSO LED V2 18-NW-SE	8595665312244	12
31222	CORSO LED V2 24-NW	8595665312220	12
31225	CORSO LED V2 24-NW-SE	8595665312251	12
31405	HB UFO LED 100W-NW	8595665314057	13
31406	HB UFO LED 150W-NW	8595665314064	13
31407	HB UFO LED 200W-NW	8595665314071	13
31112	HIBO LED N 100W-NW	8595665311124	13
31113	HIBO LED N 150W-NW	8595665311131	13
31114	HIBO LED N 200W-NW	8595665311148	13
31111	HIBO LED N 50W-NW	8595665311117	13
31390	GRUN NV LED-10-B	8595665313906	14
31391	GRUN NV LED-20-B	8595665313913	14
31392	GRUN NV LED-30-B	8595665313920	14
31393	GRUN NV LED-50-B	8595665313937	14
31394	GRUN NV LED-100-B	8595665313944	14
31395	GRUN NV LED-150-B	8595665313951	14
31396	GRUN NV LED-200-B	8595665313968	14
31397	GRUN NV LED-10-B-SE	8595665313975	14
31398	GRUN NV LED-20-B-SE	8595665313982	14
31399	GRUN NV LED-30-B-SE	8595665313999	14
31400	GRUN NV LED-50-B-SE	8595665314002	14

### ALPHABETICAL INDEX

A60 N 13W E27-NW	31207	8595665312077	4
A60 N 13W E27-WW	31206	8595665312060	4
A60 N 8W E27-NW	31203	8595665312039	4
A60 N 8W E27-WW	31202	8595665312022	4
A60 N 9,5W E27-NW	31205	8595665312053	4
A60 N 9,5W E27-WW	31204	8595665312046	4
BAREV BL LEDN2 40W-NW	31173	8595665311735	9
BAREV R 36W 12030 NW	31172	8595665311728	9
BAREV R 36W 6060 NW	31171	8595665311711	9
C35 N 4,9W E14-NW	31306	8595665313067	5
C35 N 4,9W E14-WW	31307	8595665313074	5
C35 N 6,5W E14-NW	31308	8595665313081	5
C35 N 6,5W E14-WW	31309	8595665313098	5
CORSO LED V2 12-NW	31220	8595665312206	12
CORSO LED V2 12-NW-SE	31223	8595665312237	12
CORSO LED V2 18-NW	31221	8595665312213	12
CORSO LED V2 18-NW-SE	31224	8595665312244	12
CORSO LED V2 24-NW	31222	8595665312220	12
CORSO LED V2 24-NW-SE	31225	8595665312251	12
DICHT 4LED NP 218/PS	31320	8595665313203	11

DICHT 4LED NP 236/PS	31321	8595665313210	11
DICHT 4LED PI 218/PS	31322	8595665313227	11
DICHT 4LED PI 236/PS	31323	8595665313234	11
DICHT LED 18W-NW	31410	8595665314101	11
DICHT LED 36W-NW	31411	8595665314118	11
DICHT LED 48W-NW	31412	8595665314125	11
G45 N 4,9W E27-NW	31310	8595665313104	5
G45 N 4,9W E27-WW	31311	8595665313111	5
G45 N 6,5W E14-NW	31312	8595665313128	5
G45 N 6,5W E14-WW	31313	8595665313135	5
G45 N 6,5W E27-NW	31314	8595665313142	5
G45 N 6,5W E27-WW	31315	8595665313159	5
GRUN NV LED-100-B	31394	8595665313944	14
GRUN NV LED-10-B	31390	8595665313906	14
GRUN NV LED-10-B-SE	31397	8595665313975	14
GRUN NV LED-150-B	31395	8595665313951	14
GRUN NV LED-200-B	31396	8595665313968	14
GRUN NV LED-20-B	31391	8595665313913	14
GRUN NV LED-20-B-SE	31398	8595665313982	14
GRUN NV LED-30-B	31392	8595665313920	14
GRUN NV LED-30-B-SE	31399	8595665313999	14
GRUN NV LED-50-B	31393	8595665313937	14
GRUN NV LED-50-B-SE	31400	8595665314002	14
GU10 4W-CW LED	31232	8595665312329	6
GU10 4W-NW LED	31231	8595665312312	6
GU10 4W-WW LED	31230	8595665312305	6
GU10 6W-CW LED	31235	8595665312350	6
GU10 6W-NW LED	31234	8595665312343	6
GU10 6W-WW LED	31233	8595665312336	6
GU10 8W-CW LED	31238	8595665312381	6
GU10 8W-NW LED	31237	8595665312374	6
GU10 8W-WW LED	31236	8595665312367	6
HB UFO LED 100W-NW	31405	8595665314057	13
HB UFO LED 150W-NW	31406	8595665314064	13
HB UFO LED 200W-NW	31407	8595665314071	13
HIBO LED N 100W-NW	31112	8595665311124	13
HIBO LED N 150W-NW	31113	8595665311131	13
HIBO LED N 200W-NW	31114	8595665311148	13
HIBO LED N 50W-NW	31111	8595665311117	13
RSTR N 236/4LED/NT	31058	8595665399788	10
T8 N LED 18W-CW	31190	8595665311902	7
T8 N LED 18W-NW	31191	8595665311919	7
T8 N LED 22W-NW	31192	8595665311926	7
T8 N LED 9W-CW	31193	8595665311933	7
T8 N LED 9W-NW	31194	8595665311940	7

## LAW NOTICE

This publication has been prepared by Kanlux SA. Through the continuous improvement of its offer and adaptation of it to market and legal requirements, Kanlux SA reserves the right to make changes in its product mix.

This publication is not an offer within the meaning of the Civil Code. Actual products may differ from illustrative photos and drawings included in the publication. All of the data contained in the publication is in force on the date of printing i.e. 24th of February 2023.

Kanlux is a distributor of the MILED0 brand. Kanlux SA shall not be liable for the non-availability of products listed in this publication. Kanlux SA also shall not be liable for any direct, indirect, accidental or any other damages (including, but not limited to, lost profits, lost revenues or similar economic losses) arising out of the use of information contained in this publication.

Kanlux SA reserves the right for errors and changes in print.



APRISA S.R.O.

SADOVÁ 618, 738 01 FRÝDEK-MÍSTEK  
CZECH REPUBLIC